

DSHS In-Depth County Profiles
Additional Information
08.12.12

Please add the following information to the attached in-depth county profiles regarding **Secondary Diagnosis of Mental Illness and/or Substance Abuse** (2006-2010):

Brazos County

Asthma = 37.6%

Bacterial Pneumonia = 32.6%

Congestive Heart Failure = 21.7%

Chronic Obstructive Pulmonary Disease = 56.8%

Dehydration = 30.8%

Diabetes Short-term Complications = 28.8%

Diabetes Long-term Complications = 18.2%

Hypertension = 34.2%

Urinary Tract Infection = 38.6%

Note on Profile Information: *There needs to be at least 150 hospitalizations, over the five year period (2006-2010) among county residents, to produce an in-depth county profile for any of the ten adult potentially preventable hospitalization conditions.*

For counties and/or conditions in which an in-depth profile was not provided (due to limited number of hospitalizations), I'd recommend you review the county profiles on <http://www.dshs.state.tx.us/ph>. Click on "County Profiles"

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Asthma (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Asthma

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 505

Hospitalizations by Age Group (Percentages)

25 - 29 years	6.7
30 - 34 years	5.1
35 - 39 years	5.1
40 - 44 years	5.9

Asthma (2006-2010)

45 - 49 years	10.9
50 - 54 years	8.5
55 - 59 years	7.9
60 - 64 years	9.9
65 - 69 years	7.3
70 - 74 years	8.5
75 - 79 years	7.7
80 - 84 years	4.8
85 - 89 years	6.3
Other	5.2

Hospitalizations by Sex (Percentages)

F	76.8
M	23.2

Hospitalizations by Race (percentages)

Black	33.1
Other	11.3
White	55.6

Hospitalizations by Ethnicity (percentages)

Hispanic	10.3
Not Hispanic	89.7

Hospitalizations by Zip Code of Residence (percentages)

77803	29.7
77845	16
77802	15
77840	12.1
77801	9.1
Other	7.6
77808	7.3
77807	3.2

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	77.4
College Station Medical Center	19.4
Other	3.2

Average Length of Stay: 4.0 Days

Average Charge: \$23,785

Total Charges: \$12,011,343

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	82
Discharged to care of home health service	10.1

Asthma (2006-2010)

Discharged to skilled nursing facility	5
Other	3

Expected Source of First Payment (Percentages)

Medicaid	9.3
Medicare	48.3
Other	0.4
Private Health Insurance	25.7
Uninsured	16.2

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Bacterial Pneumonia (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Bacterial Pneumonia

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 1,186

Hospitalizations by Age Group (Percentages)

40 - 44 years	3.5
45 - 49 years	4.4
50 - 54 years	5.6
55 - 59 years	6.7

Bacterial Pneumonia (2006-2010)

60 - 64 years	6.5
65 - 69 years	7.6
70 - 74 years	9.9
75 - 79 years	10.7
80 - 84 years	13.3
85 - 89 years	11.8
90+ years	10.2
Other	9.6

Hospitalizations by Sex (Percentages)

F	56.4
M	43.6

Hospitalizations by Race (percentages)

Black	13.2
Other	14
White	72.8

Hospitalizations by Ethnicity (percentages)

Hispanic	12.6
Not Hispanic	87.4

Hospitalizations by Zip Code of Residence (percentages)

77802	24.5
77803	24.1
77845	20.3
77840	10.6
77808	7.3
77801	5.1
77807	4.3
Other	3.6

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	74.0
College Station Medical Center	20.5
Other	5.4

Average Length of Stay: 4.9 Days

Average Charge: \$31,734

Total Charges: \$37,636,012

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	63.6
Discharged to skilled nursing facility	15.9
Discharged to care of home health service	9.9
Other	7.2

Bacterial Pneumonia (2006-2010)

Expired	3.5
---------	-----

Expected Source of First Payment (Percentages)

Medicaid	3.4
Medicare	67.2
Other	0.8
Private Health Insurance	19.7
Uninsured	8.9

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Congestive Heart Failure (2006-2010)

Required Selections

Select Year(s): Select Condition(s):

Select County or Texas:

Congestive Heart Failure

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 1,636

Hospitalizations by Age Group (Percentages)

45 - 49 years	3.5
50 - 54 years	5.5
55 - 59 years	7.3
60 - 64 years	7.8

Congestive Heart Failure (2006-2010)

65 - 69 years	9.8
70 - 74 years	9.3
75 - 79 years	14.5
80 - 84 years	13
85 - 89 years	13.8
90+ years	9.8
Other	5.6

Hospitalizations by Sex (Percentages)

F	57.6
M	42.4

Hospitalizations by Race (percentages)

Black	25.1
Other	14.6
White	60.2

Hospitalizations by Ethnicity (percentages)

Hispanic	12.5
Not Hispanic	87.5

Hospitalizations by Zip Code of Residence (percentages)

77802	28.4
77803	27.1
77845	14
77840	9.7
77801	6.5
77808	5.6
77807	4.6
Other	4.1

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	78.0
College Station Medical Center	17.8
Other	4.2

Average Length of Stay: 4.9 Days

Average Charge: \$30,812

Total Charges: \$50,407,843

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	56.8
Discharged to skilled nursing facility	16
Discharged to care of home health service	15.2
Other	8.2
Expired	3.9

Congestive Heart Failure (2006-2010)

Expected Source of First Payment (Percentages)

Medicaid	4.9
Medicare	77.4
Other	0.4
Private Health Insurance	9.5
Uninsured	7.8

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Chronic Obstructive Pulmonary Disease (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Chronic Obstructive Pulmonary Disease ▾

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS CO.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query


Query Result

Total Hospitalizations: 766

Hospitalizations by Age Group (Percentages)

50 - 54 years	6.7
55 - 59 years	6.1
60 - 64 years	15.4
65 - 69 years	14.9

Chronic Obstructive Pulmonary Disease (2006-2010)



70 - 74 years	18.1
75 - 79 years	15.7
80 - 84 years	11
85 - 89 years	4.8
Other	7.4

Hospitalizations by Sex (Percentages)

F	63.6
M	36.4

Hospitalizations by Race (percentages)

Black	18.9
Other	3.9
White	77.2

Hospitalizations by Ethnicity (percentages)

Not Hispanic	97.5
Other	2.5

Hospitalizations by Zip Code of Residence (percentages)

77803	27.2
77802	19.7
77845	15.7
77840	9.7
77807	8
77808	7.4
77801	6.7
Other	5.8

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	76.8
College Station Medical Center	19.7
Other	3.5

Average Length of Stay: 4.4 Days

Average Charge: \$28,724

Total Charges: \$22,002,501

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	65.4
Discharged to care of home health service	14.9
Discharged to skilled nursing facility	12.1
Other	7.3

Expected Source of First Payment (Percentages)

Medicaid	5.4
----------	-----

— Chronic Obstructive Pulmonary Disease (2006-2010) —

Medicare	79
Other	0.8
Private Health Insurance	9.4
Uninsured	5.5



Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Dehydration (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Dehydration

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 380

Hospitalizations by Age Group (Percentages)

20 - 24 years	4.5
30 - 34 years	3.7
40 - 44 years	6.8
50 - 54 years	4.7

Dehydration (2006-2010)

55 - 59 years	7.4
60 - 64 years	5.8
65 - 69 years	10.3
70 - 74 years	8.9
75 - 79 years	8.9
80 - 84 years	11.3
85 - 89 years	10
90+ years	8.9
Other	8.7

Hospitalizations by Sex (Percentages)

F	67.1
M	32.9

Hospitalizations by Race (percentages)

Black	16.3
Other	18.4
White	65.3

Hospitalizations by Ethnicity (percentages)

Hispanic	14.7
Not Hispanic	85.3

Hospitalizations by Zip Code of Residence (percentages)

77802	27.4
77845	18.4
77803	18.4
77840	10.5
77808	8.2
77801	6.6
77807	5.5
Other	5

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	80.0
College Station Medical Center	16.1
Other	3.9

Average Length of Stay: 3.2 Days

Average Charge: \$17,513

Total Charges: \$6,654,946

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	63.2
Discharged to skilled nursing facility	17.6
Discharged to care of home health service	12.6

Dehydration (2006-2010)

Other	5.9
-------	-----

Expected Source of First Payment (Percentages)

Medicaid	5.3
Medicare	62.6
Other	1.1
Private Health Insurance	26.6
Uninsured	4.5

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Diabetes Short-term Complications (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Short-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 292

Hospitalizations by Age Group (Percentages)

18 - 19 years	4.8
20 - 24 years	13.7
25 - 29 years	14.7
30 - 34 years	14.4

Diabetes Short-term Complications (2006-2010)

35 - 39 years	11.6
40 - 44 years	10.6
45 - 49 years	7.5
50 - 54 years	4.8
55 - 59 years	7.9
60 - 64 years	4.8
65 - 69 years	3.1
Other	2.1

Hospitalizations by Sex (Percentages)

F	57.2
M	42.8

Hospitalizations by Race (percentages)

Black	35.6
Other	25.7
White	38.4

Hospitalizations by Ethnicity (percentages)

Hispanic	24.7
Not Hispanic	75.3

Hospitalizations by Zip Code of Residence (percentages)

77803	33.2
77840	15.8
77802	13.7
77845	12
77801	12
77807	5.8
77808	5.5
Other	2

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	78.1
College Station Medical Center	19.5
Other	2.4

Average Length of Stay: 3.3 Days

Average Charge: \$23,582

Total Charges: \$6,885,907

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	88.4
Discharged to care of home health service	7.9
Other	3.7

Expected Source of First Payment (Percentages)

Diabetes Short-term Complications (2006-2010)

Medicaid	6.2
Medicare	16.1
Other	1.4
Private Health Insurance	33.9
Uninsured	42.5

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Diabetes Long-term Complications (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Long-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 478

Hospitalizations by Age Group (Percentages)

25 - 29 years	3.6
30 - 34 years	3.8
35 - 39 years	4
40 - 44 years	8.4

Diabetes Long-term Complications (2006-2010)

45 - 49 years	10.3
50 - 54 years	11.3
55 - 59 years	9.2
60 - 64 years	8.6
65 - 69 years	12.1
70 - 74 years	7.7
75 - 79 years	8.6
80 - 84 years	5.4
85 - 89 years	3.8
Other	3.4

Hospitalizations by Sex (Percentages)

F	49.4
M	50.6

Hospitalizations by Race (percentages)

Black	26.6
Other	34.5
White	38.9

Hospitalizations by Ethnicity (percentages)

Hispanic	34.1
Not Hispanic	65.9

Hospitalizations by Zip Code of Residence (percentages)

77803	40.8
77802	16.1
77845	14
77840	11.7
77801	5.9
77807	5.2
77808	3.8
Other	2.4

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	69.3
College Station Medical Center	23.0
Other	7.8

Average Length of Stay: 5.8 Days

Average Charge: \$39,561

Total Charges: \$18,910,335

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	58.4
Discharged to care of home health service	17.4

Diabetes Long-term Complications (2006-2010)

Discharged to skilled nursing facility	13.6
Other	7
Discharged/transferred to inpatient rehabilitation facility	3.6

Expected Source of First Payment (Percentages)

Medicaid	6.9
Medicare	52.1
Other	0.8
Private Health Insurance	23.8
Uninsured	16.3


Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections



Select Year(s): Select Condition(s):

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

Hypertension

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 287

Hospitalizations by Age Group (Percentages)

25 - 29 years	4.5
30 - 34 years	4.2
35 - 39 years	4.2
40 - 44 years	11.8

Hypertension (2006-2010)

45 - 49 years	9.4
50 - 54 years	10.5
55 - 59 years	9.4
60 - 64 years	6.3
65 - 69 years	7.7
70 - 74 years	7
75 - 79 years	10.8
80 - 84 years	7.7
85 - 89 years	5.2
Other	1.3

Hospitalizations by Sex (Percentages)

F	64.5
M	35.5

Hospitalizations by Race (percentages)

Black	40.4
Other	13.2
White	46.3

Hospitalizations by Ethnicity (percentages)

Hispanic	11.5
Not Hispanic	88.5

Hospitalizations by Zip Code of Residence (percentages)

77803	33.4
77845	15.3
77802	15.3
77840	11.1
77801	9.4
77808	6.3
Other	5.5
77807	3.5

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	75.3
College Station Medical Center	20.9
Other	3.8

Average Length of Stay: 3.0 Days

Average Charge: \$22,003

Total Charges: \$6,314,861

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	86.1
Discharged to skilled nursing facility	5.6

Hypertension (2006-2010)

Discharged to care of home health service	4.9
Other	2.3

Expected Source of First Payment (Percentages)

Medicaid	4.9
Medicare	46.3
Other	0.7
Private Health Insurance	22.3
Uninsured	25.8

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Urinary Tract Infection (2006-2010)

Required Selections

Select Year(s): Select Condition(s):

Select County or Texas:

Urinary Tract Infection

- 2006
- 2007
- 2008
- 2009
- 2010

BRAZOS Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 804

Hospitalizations by Age Group (Percentages)

20 - 24 years	3.7
25 - 29 years	3.4
35 - 39 years	3.9
40 - 44 years	3

Urinary Tract Infection (2006-2010)

50 - 54 years	4
55 - 59 years	4.5
60 - 64 years	4.6
65 - 69 years	4
70 - 74 years	8.5
75 - 79 years	10.7
80 - 84 years	15.8
85 - 89 years	13.6
90+ years	15.2
Other	5.3

Hospitalizations by Sex (Percentages)

F	76.2
M	23.8

Hospitalizations by Race (percentages)

Black	15.9
Other	16.2
White	67.8

Hospitalizations by Ethnicity (percentages)

Hispanic	13.8
Not Hispanic	86.1

Hospitalizations by Zip Code of Residence (percentages)

77802	30.5
77803	23.3
77845	17.4
77840	10.3
77808	5.8
77801	5.5
77807	3.7
Other	3.5

Hospitalizations by Provider Name (percentages)

St Joseph Regional Health Center	73.8
College Station Medical Center	20.3
Other	5.9

Average Length of Stay: 4.3 Days

Average Charge: \$22,567

Total Charges: \$18,143,863

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	47.4
Discharged to skilled nursing facility	30

Urinary Tract Infection (2006-2010)

Discharged to care of home health service	11.7
Other	10.4

Expected Source of First Payment (Percentages)

Medicaid	4.1
Medicare	73.9
Other	0.4
Private Health Insurance	12.8
Uninsured	8.8

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services