

DSHS In-Depth County Profiles
Additional Information
08.12.12

Please add the following information to the attached in-depth county profiles regarding **Secondary Diagnosis of Mental Illness and/or Substance Abuse** (2006-2010):

Montgomery County

Asthma = 44.5%
Bacterial Pneumonia = 34.4%
Congestive Heart Failure = 22.8%
Chronic Obstructive Pulmonary Disease = 47.7%
Dehydration = 27.4%
Diabetes Short-term Complications = 35.2%
Diabetes Long-term Complications = 21.6%
Hypertension = 31.9%
Urinary Tract Infection = 37.3%

Note on Profile Information: *There needs to be at least 150 hospitalizations, over the five year period (2006-2010) among county residents, to produce an in-depth county profile for any of the ten adult potentially preventable hospitalization conditions.*

For counties and/or conditions in which an in-depth profile was not provided (due to limited number of hospitalizations), I'd recommend you review the county profiles on <http://www.dshs.state.tx.us/ph>. Click on "County Profiles"

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Asthma (2006-2010)

Required Selections

Select Year(s): Select Condition(s):

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

Asthma

MONTGOMERY 6

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 1,313

Hospitalizations by Age Group (Percentages)

20 - 24 years	3
25 - 29 years	5.1
30 - 34 years	5.1
35 - 39 years	5.3

Asthma (2006-2010)

40 - 44 years	8.4
45 - 49 years	10.1
50 - 54 years	12.9
55 - 59 years	13.8
60 - 64 years	8.1
65 - 69 years	7.8
70 - 74 years	5.5
75 - 79 years	4.5
80 - 84 years	4.9
85 - 89 years	3.1
Other	2.3

Hospitalizations by Sex (Percentages)

F	76.8
M	23.2

Hospitalizations by Race (percentages)

Black	7.8
Other	8.4
White	83.8

Hospitalizations by Ethnicity (percentages)

Hispanic	7.8
Not Hispanic	92

Hospitalizations by Zip Code of Residence (percentages)

Other	11
77357	10.6
77301	9.7
77372	8.8
77365	7.9
77304	5.9
77302	5.3
77356	5.3
77380	5.2
77378	4.4
77381	4
77354	4
77303	4
77318	3.6
77355	3.5
77385	3.4
77386	3.3

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	33.4
St Lukes Community Medical Center-The Woodlands	14.5
Memorial Hermann The Woodlands Hospital	12.4

Asthma (2006-2010)

Kingwood Medical Center	11.1
Cleveland Regional Medical Center	7.5
Other	6.9
Memorial Hermann Northeast	4.9
Tomball Regional Hospital	4.8
Houston Northwest Medical Center	4.6

Average Length of Stay: 4.5 Days

Average Charge: \$30,984

Total Charges: \$40,682,644

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	86.4
Other	8.3
Discharged to care of home health service	5.3

Expected Source of First Payment (Percentages)

Medicaid	10.3
Medicare	35.6
Other	5
Private Health Insurance	33.4
Uninsured	15.7

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Asthma (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

Bacterial Pneumonia

MONTGOMERY Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 4,340

Hospitalizations by Age Group (Percentages)

40 - 44 years	4
45 - 49 years	5.1
50 - 54 years	7.5
55 - 59 years	8.5

Asthma (2006-2010)

60 - 64 years	8.8
65 - 69 years	10.9
70 - 74 years	11.4
75 - 79 years	11.8
80 - 84 years	11.3
85 - 89 years	8.3
90+ years	4.6
Other	7.9

Hospitalizations by Sex (Percentages)

F	57.1
M	42.9

Hospitalizations by Race (percentages)

Black	4.6
Other	5.9
White	89.5

Hospitalizations by Ethnicity (percentages)

Hispanic	4.5
Not Hispanic	95.3

Hospitalizations by Zip Code of Residence (percentages)

Other	10.6
77301	7.7
77304	6.8
77365	6.5
77381	6
77357	6
77356	5.9
77355	5.9
77354	5.9
77302	5.1
77378	5
77372	4.6
77380	4.5
77318	4.4
77303	4.1
77386	3.9
77316	3.6
77306	3.3

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	34.5
Memorial Hermann The Woodlands Hospital	15.8
Other	14.9
St Lukes Community Medical Center-The Woodlands	13.1
Tomball Regional Hospital	9.5

Asthma (2006-2010)

Kingwood Medical Center	9.0
Memorial Hermann Northeast	3.1

Average Length of Stay: 6.3 Days

Average Charge: \$41,413

Total Charges: \$179,731,614

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	67.1
Other	11.8
Discharged to care of home health service	9
Discharged to skilled nursing facility	8.1
Discharged/transferred to Medicare-certified long term care hospital	4.2

Expected Source of First Payment (Percentages)

Medicaid	4.4
Medicare	62.6
Other	1.5
Private Health Insurance	23.2
Uninsured	8.3

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Congestive Heart Failure(2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Congestive Heart Failure

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 4,503

Hospitalizations by Age Group (Percentages)

50 - 54 years	5.9
55 - 59 years	6.3
60 - 64 years	8.9
65 - 69 years	10.7

Congestive Heart Failure(2006-2010)

70 - 74 years	13.3
75 - 79 years	14.5
80 - 84 years	14.9
85 - 89 years	12.2
90+ years	8
Other	5.5

Hospitalizations by Sex (Percentages)

F	51.3
M	48.7

Hospitalizations by Race (percentages)

Black	8
Other	6.3
White	85.7

Hospitalizations by Ethnicity (percentages)

Hispanic	5
Not Hispanic	94.9

Hospitalizations by Zip Code of Residence (percentages)

Other	11.4
77301	9.1
77304	7
77357	6.9
77365	6.7
77356	6.5
77381	6.4
77378	5.9
77354	4.9
77372	4.8
77355	4.6
77318	4.4
77380	4.1
77302	4
77303	3.6
77385	3.2
77386	3.2
77316	3.1

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	41.9
Memorial Hermann The Woodlands Hospital	13.4
Other	11.9
St Lukes Community Medical Center-The Woodlands	10.4
Kingwood Medical Center	9.6
Tomball Regional Hospital	8.7
Memorial Hermann Northeast	4.1

Congestive Heart Failure(2006-2010)

Average Length of Stay: 5.8 Days

Average Charge: \$40,199

Total Charges: \$181,013,908

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	60.5
Other	16.9
Discharged to care of home health service	15
Discharged to skilled nursing facility	7.4

Expected Source of First Payment (Percentages)

Medicaid	3.7
Medicare	78.2
Other	1
Private Health Insurance	11.3
Uninsured	5.8

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Chronic Obstructive Pulmonary Disease (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Chronic Obstructive Pulmonary Disease ▾

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 4,172

Hospitalizations by Age Group (Percentages)

45 - 49 years	4
50 - 54 years	7.7
55 - 59 years	9.2
60 - 64 years	13.2

Chronic Obstructive Pulmonary Disease (2006-2010)

65 - 69 years	16.9
70 - 74 years	15.5
75 - 79 years	14.3
80 - 84 years	10.5
85 - 89 years	4.5
Other	4

Hospitalizations by Sex (Percentages)

F	58.7
M	41.3

Hospitalizations by Race (percentages)

Black	3.4
Other	2.9
White	93.8

Hospitalizations by Ethnicity (percentages)

Not Hispanic	98
Other	1.9

Hospitalizations by Zip Code of Residence (percentages)

Other	10.6
77357	9.8
77372	8.1
77378	7.9
77301	7.8
77365	7.1
77303	5.9
77304	5.8
77355	5.6
77356	4.7
77302	4.6
77381	4.2
77318	4.1
77354	4.1
77316	3.3
77380	3.2
77306	3.1

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	38.3
Kingwood Medical Center	13.3
Other	12.4
Memorial Hermann The Woodlands Hospital	11.1
St Lukes Community Medical Center-The Woodlands	9.9
Tomball Regional Hospital	9.9
Memorial Hermann Northeast	5.0

Average Length of Stay: 5.4 Days

Average Charge: \$36,104

Total Charges: \$150,626,803

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	71.5
Discharged to care of home health service	10.3
Other	8.7
Discharged to skilled nursing facility	6.2
Discharged/transferred to Medicare-certified long term care hospital	3.1

Expected Source of First Payment (Percentages)

Medicaid	7.7
Medicare	70.1
Other	1.9
Private Health Insurance	14.7
Uninsured	5.5

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Dehydration (2006-2010)

Select Year(s): Dehydration

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY CO

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 888

Hospitalizations by Age Group (Percentages)

30 - 34 years	3
35 - 39 years	5.5
40 - 44 years	4.6
45 - 49 years	5.1

Dehydration (2006-2010)

50 - 54 years	7.2
55 - 59 years	9.7
60 - 64 years	7.4
65 - 69 years	7.7
70 - 74 years	9.9
75 - 79 years	11.9
80 - 84 years	9.2
85 - 89 years	7.8
90+ years	4.4
Other	6.5

Hospitalizations by Sex (Percentages)

F	64.0
M	36.0

Hospitalizations by Race (percentages)

Black	3.8
Other	4.2
White	91.9

Hospitalizations by Ethnicity (percentages)

Hispanic	3.6
Not Hispanic	96.3

Hospitalizations by Zip Code of Residence (percentages)

Other	13.7
77381	7.5
77301	6.6
77304	6.5
77354	6.1
77372	5.9
77356	5.7
77380	5.6
77378	5.6
77355	5.4
77365	5.3
77302	5
77303	4.7
77357	4.2
77385	4.1
77318	4.1
77386	3.9

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	28.7
Memorial Hermann The Woodlands Hospital	18.1
Other	16.8
St Lukes Community Medical Center-The Woodlands	12.4

Dehydration (2006-2010)

Tomball Regional Hospital	9.5
Kingwood Medical Center	5.5
Houston Northwest Medical Center	4.8
Cleveland Regional Medical Center	4.2

Average Length of Stay: 3.6 Days

Average Charge: \$22,923

Total Charges: \$20,355,846

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	73.3
Other	12.2
Discharged to care of home health service	9
Discharged to skilled nursing facility	5.4

Expected Source of First Payment (Percentages)

Medicaid	3.3
Medicare	57
Other	2
Private Health Insurance	31.4
Uninsured	6.3

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Diabetes Short-term Complications (2006-2010)

Required Selections

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Short-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 631

Hospitalizations by Age Group (Percentages)

18 - 19 years	7.8
20 - 24 years	18.1
25 - 29 years	12.4
30 - 34 years	7.4

Diabetes Short-term Complications (2006-2010)

35 - 39 years	11.4
40 - 44 years	8.4
45 - 49 years	11.3
50 - 54 years	7.6
55 - 59 years	6.2
60 - 64 years	3.3
Other	6.1

Hospitalizations by Sex (Percentages)

F	53.4
M	46.6

Hospitalizations by Race (percentages)

Black	7.4
Other	10.5
White	82.1

Hospitalizations by Ethnicity (percentages)

Hispanic	10.1
Not Hispanic	89.5

Hospitalizations by Zip Code of Residence (percentages)

77301	13.5
Other	7.8
77386	7.1
77372	6.5
77381	6.2
77380	6.2
77357	5.9
77365	5.9
77306	5.5
77316	5.5
77354	5.1
77304	4.9
77356	4.6
77303	4.4
77302	4
77355	3.8
77378	3.2

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	33.1
Memorial Hermann The Woodlands Hospital	14.9
St Lukes Community Medical Center-The Woodlands	14.7
Other	14.5
Kingwood Medical Center	9.0
Tomball Regional Hospital	7.3
Cleveland Regional Medical Center	3.3

Diabetes Short-term Complications (2006-2010)

Memorial Hermann Northeast	3.2
----------------------------	-----

Average Length of Stay: 4.1 Days

Average Charge: \$31,126

Total Charges: \$19,640,234

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	85.6
Other	8.4
Left against medical advice	5.9

Expected Source of First Payment (Percentages)

Medicaid	12.8
Medicare	16.8
Other	3.2
Private Health Insurance	32.8
Uninsured	34.4

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Diabetes Long-term Complications (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Long-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY
6

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 1,416

Hospitalizations by Age Group (Percentages)

35 - 39 years	4.9
40 - 44 years	6.3
45 - 49 years	8.7
50 - 54 years	13.7

Diabetes Long-term Complications (2006-2010)

55 - 59 years	11.4
60 - 64 years	12.6
65 - 69 years	9.5
70 - 74 years	10.1
75 - 79 years	8.8
80 - 84 years	5.8
85 - 89 years	3
Other	5.2

Hospitalizations by Sex (Percentages)

F	48.0
M	52.0

Hospitalizations by Race (percentages)

Black	9.1
Other	17.2
White	73.7

Hospitalizations by Ethnicity (percentages)

Hispanic	14.9
Not Hispanic	84.8

Hospitalizations by Zip Code of Residence (percentages)

77301	13.8
77357	8.8
77365	7.3
Other	6.9
77372	6.1
77378	5.5
77302	5.4
77380	5.4
77303	5
77304	5
77356	4.4
77385	4.4
77386	4.4
77381	4.2
77354	3.7
77355	3.3
77318	3.1
77306	3.1

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	42.2
Other	14.2
Memorial Hermann The Woodlands Hospital	11.3
Kingwood Medical Center	10.0
St Lukes Community Medical Center-The Woodlands	7.9

Diabetes Long-term Complications (2006-2010)

Tomball Regional Hospital	5.9
Memorial Hermann Northeast	4.4
Houston Northwest Medical Center	4.1

Average Length of Stay: 7.8 Days

Average Charge: \$56,411

Total Charges: \$79,878,257

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	60.5
Discharged to care of home health service	14.8
Discharged/transferred to Medicare-certified long term care hospital	8.2
Discharged to skilled nursing facility	6.8
Other	6.4
Discharged/transferred to inpatient rehabilitation facility	3.5

Expected Source of First Payment (Percentages)

Medicaid	10
Medicare	53.8
Other	1.6
Private Health Insurance	20.6
Uninsured	14.1

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.


Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections



Select Year(s): Select Condition(s):

Select County or Texas:

Hypertension

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 835

Hospitalizations by Age Group (Percentages)

25 - 29 years	4.4
30 - 34 years	4.3
35 - 39 years	3.6
40 - 44 years	6.9

Hypertension (2006-2010)

45 - 49 years	9.7
50 - 54 years	11.3
55 - 59 years	9.8
60 - 64 years	8.9
65 - 69 years	9
70 - 74 years	6.8
75 - 79 years	9.3
80 - 84 years	7.3
85 - 89 years	5
90+ years	3.2
Other	0.3

Hospitalizations by Sex (Percentages)

F	66.3
M	33.7

Hospitalizations by Race (percentages)

Black	15.7
Other	7.7
White	76.6

Hospitalizations by Ethnicity (percentages)

Hispanic	7.2
Not Hispanic	92.7

Hospitalizations by Zip Code of Residence (percentages)

77301	11.4
Other	9
77354	6.9
77362	6.7
77356	6.3
77378	6
77357	5.7
77381	5.4
77365	5.3
77304	5.3
77355	5.1
77385	3.6
77303	3.5
77372	3.4
77386	3.4
77316	3.4
77302	3.4
77318	3.2
77306	3.1

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	39.0
--------------------------------	------

Hypertension (2006-2010)

Other	17.6
Memorial Hermann The Woodlands Hospital	15.0
Tomball Regional Hospital	13.1
St Lukes Community Medical Center-The Woodlands	8.9
Kingwood Medical Center	6.5

Average Length of Stay: 3.6 Days

Average Charge: \$29,447

Total Charges: \$24,588,120

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	86.7
Other	7.1
Discharged to care of home health service	6.1

Expected Source of First Payment (Percentages)

Medicaid	6.3
Medicare	41.4
Other	1.8
Private Health Insurance	33.5
Uninsured	16.9

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Urinary Tract Infection (2006-2010)

Select Year(s): Urinary Tract Infection

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

MONTGOMERY Co

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 3,004

Hospitalizations by Age Group (Percentages)

20 - 24 years	3.6
25 - 29 years	3.5
30 - 34 years	3.2
35 - 39 years	3.9

Urinary Tract Infection (2006-2010)

40 - 44 years	3.6
45 - 49 years	4.3
50 - 54 years	4.9
55 - 59 years	4.6
60 - 64 years	6.6
65 - 69 years	6.8
70 - 74 years	9.8
75 - 79 years	11.3
80 - 84 years	13
85 - 89 years	12.6
90+ years	6.7
Other	1.8

Hospitalizations by Sex (Percentages)

F	76.3
M	23.7

Hospitalizations by Race (percentages)

Black	5.1
Other	7.1
White	87.8

Hospitalizations by Ethnicity (percentages)

Hispanic	6
Not Hispanic	94

Hospitalizations by Zip Code of Residence (percentages)

Other	16.8
77301	8.8
77381	8
77354	7.4
77304	6.8
77357	5.9
77365	5.9
77378	5.6
77356	5.2
77355	5.1
77302	4.6
77380	4.3
77372	4.2
77386	4
77318	3.9
77303	3.7

Hospitalizations by Provider Name (percentages)

Conroe Regional Medical Center	32.8
Memorial Hermann The Woodlands Hospital	18.1
Other	17.6

Urinary Tract Infection (2006-2010)

St Lukes Community Medical Center-The Woodlands	13.6
Tomball Regional Hospital	9.4
Kingwood Medical Center	8.5

Average Length of Stay: 4.9 Days

Average Charge: \$27,169

Total Charges: \$81,615,340

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	60.5
Discharged to skilled nursing facility	15.3
Other	10.3
Discharged to care of home health service	9.6
Discharged to intermediate care facility	4.4

Expected Source of First Payment (Percentages)

Medicaid	6.1
Medicare	63.6
Other	1.3
Private Health Insurance	18.1
Uninsured	10.9

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services