

DSHS In-Depth County Profiles
Additional Information
08.12.12

Please add the following information to the attached in-depth county profiles regarding **Secondary Diagnosis of Mental Illness and/or Substance Abuse (2006-2010)**:

Walker County

Asthma = 32.3%

Bacterial Pneumonia = 27.6%

Congestive Heart Failure = 17.3%

Chronic Obstructive Pulmonary Disease = 39.6%

Dehydration = 24.5%

Diabetes Short-term Complications = 24.4%

Diabetes Long-term Complications = 14.9%

Hypertension = 22.9%

Urinary Tract Infection = 34.9%

Note on Profile Information: *There needs to be at least 150 hospitalizations, over the five year period (2006-2010) among county residents, to produce an in-depth county profile for any of the ten adult potentially preventable hospitalization conditions.*

For counties and/or conditions in which an in-depth profile was not provided (due to limited number of hospitalizations), I'd recommend you review the county profiles on <http://www.dshs.state.tx.us/ph>. Click on "County Profiles"

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Diabetes Long-term Complications (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Long-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 551

Hospitalizations by Age Group (Percentages)

30 - 34 years	3.1
35 - 39 years	6
40 - 44 years	11.4
45 - 49 years	10

50 - 54 years	14.2
55 - 59 years	11.6
60 - 64 years	12.3
65 - 69 years	10.3
70 - 74 years	8.5
75 - 79 years	4.7
80 - 84 years	3.1
Other	4.7

Hospitalizations by Sex (Percentages)

F	28.3
M	71.7

Hospitalizations by Race (percentages)

Black	39.2
Other	5.1
White	55.7

Hospitalizations by Ethnicity (percentages)

Hispanic	20.7
Not Hispanic	79.1

Hospitalizations by Zip Code of Residence (percentages)

77340	76.4
77320	12.7
77358	6.7
77342	3.4
Other	0.8

Hospitalizations by Provider Name (percentages)

UT Medical Branch Hospital	37.9
Huntsville Memorial Hospital	20.9
Conroe Regional Medical Center	14.9
University of Texas Medical Branch Hospital	13.6
Other	8.3
East Texas Medical Center-Trinity	4.4

Average Length of Stay: 7.9 Days

Average Charge: \$35,311

Total Charges: \$19,456,313

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	72.8
Discharged to care of home health service	8.7
Other	8.5
Discharged to skilled nursing facility	5.4

Discharged/transferred to Medicare-certified long term care hospital	4
--	---

Diabetes Long-term Complications (2006-2010)

Expected Source of First Payment (Percentages)

Medicaid	7.4
Medicare	28.5
Other	49
Private Health Insurance	11.1
Uninsured	4

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Hypertension (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Hypertension

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 275

Hospitalizations by Age Group (Percentages)

35 - 39 years	6.2
40 - 44 years	11.6
45 - 49 years	18.5
50 - 54 years	13.5

Hypertension (2006-2010)

55 - 59 years	12
60 - 64 years	8.4
65 - 69 years	7.3
75 - 79 years	6.9
80 - 84 years	4.7
Other	11

Hospitalizations by Sex (Percentages)

F	33.5
M	66.5

Hospitalizations by Race (percentages)

Black	65.8
Other	2.2
White	32

Hospitalizations by Ethnicity (percentages)

Hispanic	3.6
Not Hispanic	96.4

Hospitalizations by Zip Code of Residence (percentages)

77340	72.4
77320	16
77358	6.5
77342	4
Other	1.1

Hospitalizations by Provider Name (percentages)

UT Medical Branch Hospital	42.2
Huntsville Memorial Hospital	28.7
Conroe Regional Medical Center	13.1
University of Texas Medical Branch Hospital	9.5
Other	6.5

Average Length of Stay: 4.1 Days

Average Charge: \$19,875

Total Charges: \$5,465,511

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	86.2
Other	5.9
Discharged to other short term general hospital	4.4
Discharged to care of home health service	3.6

Expected Source of First Payment (Percentages)

Medicaid	7.6
----------	-----

Medicare	25.1
Other	46.9
Private Health Insurance	14.2
Uninsured	6.2

Hypertension (2006-2010)

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Urinary Tract Infection (2006-2010)

Required Selections

Select Year(s): Select Condition(s):

Select County or Texas:

Urinary Tract Infection

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 610

Hospitalizations by Age Group (Percentages)

20 - 24 years	3.4
30 - 34 years	3
40 - 44 years	4.9
45 - 49 years	4.9

Urinary Tract Infection (2006-2010)

50 - 54 years	3.8
55 - 59 years	3.6
60 - 64 years	6.4
65 - 69 years	6.7
70 - 74 years	7.9
75 - 79 years	12.8
80 - 84 years	11.6
85 - 89 years	10.8
90+ years	14.6
Other	5.6

Hospitalizations by Sex (Percentages)

F	61.3
M	38.7

Hospitalizations by Race (percentages)

Black	22.6
Other	5.6
White	71.8

Hospitalizations by Ethnicity (percentages)

Hispanic	6.7
Not Hispanic	92.6

Hospitalizations by Zip Code of Residence (percentages)

77340	67.5
77320	18.2
77358	6.1
77342	4.6
Other	3.6

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	54.8
Conroe Regional Medical Center	12.3
UT Medical Branch Hospital	12.0
East Texas Medical Center-Trinity	9.5
Other	7.3
University of Texas Medical Branch Hospital	4.1

Average Length of Stay: 5.2 Days

Average Charge: \$21,348

Total Charges: \$13,022,435

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	52.3
Discharged to skilled nursing facility	21

Urinary Tract Infection (2006-2010)

Discharged to care of home health service	10.8
Other	10.7
Discharged to intermediate care facility	4.8

Expected Source of First Payment (Percentages)

Medicaid	5.1
Medicare	62
Other	17.4
Private Health Insurance	10
Uninsured	5.6

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.


Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections



Select Year(s): Select Condition(s):

Select County or Texas:

- 2006
- 2007
- 2008
- 2009
- 2010

Asthma

WALKER Co

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 403

Hospitalizations by Age Group (Percentages)

20 - 24 years	4.5
25 - 29 years	5.5
35 - 39 years	7.4
40 - 44 years	14.6

Asthma (2006-2010)

45 - 49 years	17.4
50 - 54 years	16.4
55 - 59 years	4.5
60 - 64 years	6.7
65 - 69 years	5.7
70 - 74 years	4.2
75 - 79 years	3.5
80 - 84 years	3.2
Other	6.3

Hospitalizations by Sex (Percentages)

F	45.4
M	54.6

Hospitalizations by Race (percentages)

Black	43.2
Other	5.5
White	51.4

Hospitalizations by Ethnicity (percentages)

Hispanic	6.7
Not Hispanic	92.6

Hospitalizations by Zip Code of Residence (percentages)

77340	67.7
77320	13.9
77342	7.7
77358	6
77367	3.2
Other	1.5

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	29.0
UT Medical Branch Hospital	27.3
Conroe Regional Medical Center	17.6
University of Texas Medical Branch Hospital	12.4
East Texas Medical Center-Trinity	8.4
Other	5.2

Average Length of Stay: 4.8 Days

Average Charge: \$22,556

Total Charges: \$9,089,905

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	88.3
Other	6.8

Discharged to care of home health service	4.7
---	-----

Asthma (2006-2010)

Expected Source of First Payment (Percentages)

Medicaid	8.7
Medicare	25.1
Other	38
Private Health Insurance	21.1
Uninsured	7.2

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Bacterial Pneumonia (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Bacterial Pneumonia

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 916

Hospitalizations by Age Group (Percentages)

40 - 44 years	4.9
45 - 49 years	5.6
50 - 54 years	7.9
55 - 59 years	10.4

Bacterial Pneumonia (2006-2010)

60 - 64 years	8.6
65 - 69 years	9.1
70 - 74 years	10.8
75 - 79 years	10.5
80 - 84 years	10.2
85 - 89 years	7.2
90+ years	5.9
Other	8.9

Hospitalizations by Sex (Percentages)

F	41.5
M	58.5

Hospitalizations by Race (percentages)

Black	22.2
Other	4.7
White	73.1

Hospitalizations by Ethnicity (percentages)

Hispanic	6.3
Not Hispanic	93.1

Hospitalizations by Zip Code of Residence (percentages)

77340	57.6
77320	22.7
77358	9.5
77342	5.2
Other	4.9

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	48.9
UT Medical Branch Hospital	18.0
Conroe Regional Medical Center	15.5
Other	8.2
University of Texas Medical Branch Hospital	5.4
East Texas Medical Center-Trinity	4.0

Average Length of Stay: 5.7 Days

Average Charge: \$28,458

Total Charges: \$26,067,446

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	67.9
Discharged to skilled nursing facility	8.8
Other	8.4
Discharged to care of home health service	7

Bacterial Pneumonia (2006-2010)

Discharged to other short term general hospital	4.7
Expired	3.2

Expected Source of First Payment (Percentages)

Medicaid	4.1
Medicare	51.6
Other	23.7
Private Health Insurance	16
Uninsured	4.5

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Congestive Heart Failure (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Congestive Heart Failure

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 1,096

Hospitalizations by Age Group (Percentages)

40 - 44 years	3.6
45 - 49 years	6.5
50 - 54 years	7.1
55 - 59 years	10.9

Congestive Heart Failure (2006-2010)

60 - 64 years	10.9
65 - 69 years	8.3
70 - 74 years	7.8
75 - 79 years	10.9
80 - 84 years	12.4
85 - 89 years	11
90+ years	7.7
Other	2.8

Hospitalizations by Sex (Percentages)

F	42.1
M	57.9

Hospitalizations by Race (percentages)

Black	33.6
Other	2.4
White	64.1

Hospitalizations by Ethnicity (percentages)

Hispanic	6.6
Not Hispanic	93.3

Hospitalizations by Zip Code of Residence (percentages)

77340	64.1
77320	21.7
77358	7.5
77342	3.9
Other	2.8

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	38.3
Conroe Regional Medical Center	22.5
UT Medical Branch Hospital	19.5
Other	9.3
University of Texas Medical Branch Hospital	7.2
East Texas Medical Center-Trinity	3.0

Average Length of Stay: 5.8 Days

Average Charge: \$30,370

Total Charges: \$33,285,436

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	63.8
Discharged to care of home health service	10.5
Other	8.2
Discharged to skilled nursing facility	7.8

Congestive Heart Failure (2006-2010)

Discharged to other short term general hospital	5.8
Expired	3.7

Expected Source of First Payment (Percentages)

Medicaid	4.7
Medicare	56.1
Other	26.2
Private Health Insurance	9.6
Uninsured	3.4

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Chronic Obstructive Pulmonary Disease (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Chronic Obstructive Pulmonary Disease ▾

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 591

Hospitalizations by Age Group (Percentages)

45 - 49 years	3.7
50 - 54 years	7.3
55 - 59 years	7.8
60 - 64 years	16.1

Chronic Obstructive Pulmonary Disease (2006-2010)

65 - 69 years	14.6
70 - 74 years	16.8
75 - 79 years	12.2
80 - 84 years	8.5
85 - 89 years	6.8
90+ years	3.2
Other	3.2

Hospitalizations by Sex (Percentages)

F	47.5
M	52.5

Hospitalizations by Race (percentages)

Black	14.4
Other	3.9
White	81.7

Hospitalizations by Ethnicity (percentages)

Not Hispanic	97.1
Other	2.5

Hospitalizations by Zip Code of Residence (percentages)

77340	51.1
77320	26.2
77358	9.8
77367	6.3
77342	3.6
Other	3

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	48.7
Conroe Regional Medical Center	21.3
Other	11.0
UT Medical Branch Hospital	9.0
East Texas Medical Center-Trinity	5.3
University of Texas Medical Branch Hospital	4.7

Average Length of Stay: 5.1 Days

Average Charge: \$27,770

Total Charges: \$16,412,083

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	68.9
Discharged to care of home health service	9.3
Other	8
Discharged to skilled nursing facility	6.1

Chronic Obstructive Pulmonary Disease (2006-2010)

Discharged/transferred to Medicare-certified long term care hospital	4.1
Discharged to other short term general hospital	3.6

Expected Source of First Payment (Percentages)

Medicaid	6.1
Medicare	61.3
Other)	16.6
Private Health Insurance	16.1

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Dehydration (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Dehydration

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 163

Hospitalizations by Age Group (Percentages)

35 - 39 years	3.1
40 - 44 years	4.9
45 - 49 years	5.5
50 - 54 years	7.4

Dehydration (2006-2010)

55 - 59 years	9.2
60 - 64 years	6.1
65 - 69 years	11
70 - 74 years	9.2
75 - 79 years	9.8
80 - 84 years	12.3
85 - 89 years	8.6
90+ years	9.2
Other	3.7

Hospitalizations by Sex (Percentages)

F	50.3
M	49.7

Hospitalizations by Race (percentages)

Black	18.4
Other	4.9
White	76.7

Hospitalizations by Ethnicity (percentages)

Hispanic	6.1
Not Hispanic	93.9

Hospitalizations by Zip Code of Residence (percentages)

77340	57.7
77320	20.2
77358	8.6
77342	8
Other	5.6

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	44.2
Other	15.9
UT Medical Branch Hospital	14.7
Conroe Regional Medical Center	11.7
University of Texas Medical Branch Hospital	5.5
East Texas Medical Center-Trinity	4.9
Memorial Hermann The Woodlands Hospital	3.1

Average Length of Stay: 4.0 Days

Average Charge: \$17,763

Total Charges: \$2,895,337

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	65
Discharged to skilled nursing facility	10.4

Dehydration (2006-2010)

Other	10.3
Discharged to care of home health service	5.5
Discharged to hospice - home	4.3
Expired	3.7

Expected Source of First Payment (Percentages)

Medicaid	4.3
Medicare	55.2
Other	20.9
Private Health Insurance	16.6
Uninsured	3.1

Values of less than 3% are included in "Other."
 This data is based on county of residence - not the county where the individual was hospitalized.
 For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.
 Source: Center for Health Statistics, Texas Department of State Health Services

Adult Potentially Preventable Hospitalizations in Texas

Hospitalizations for the conditions below are considered "potentially preventable," because if the individual had access to and cooperated with appropriate outpatient healthcare, the hospitalization would likely not have occurred.

The purpose of this information is to assist in improving health care and reducing health care costs. This information is not an evaluation of hospitals or other health care providers.

Required Selections

Diabetes Short-term Complications (2006-2010)

Select Year(s): Select Condition(s):

Select County or Texas:

Diabetes Short-term complications

- 2006
- 2007
- 2008
- 2009
- 2010

WALKER Co.

Optional Selections

Select Variables:

- Age Group
- Sex
- Race
- Ethnicity
- Zip Code of Residence
- Hospitalized at
- Average Length of Hospital Stay
- Average Hospital Charge
- Total Hospital Charges
- Discharged to
- Expected Source of First Payment

Submit Query

Query Result

Total Hospitalizations: 234

Hospitalizations by Age Group (Percentages)

18 - 19 years	8.1
20 - 24 years	14.1
25 - 29 years	5.1
30 - 34 years	8.1

35 - 39 years	14.5
40 - 44 years	10.3
45 - 49 years	12.8
50 - 54 years	6.4
55 - 59 years	6.4
60 - 64 years	6.4
65 - 69 years	3.4
Other	4.2

Hospitalizations by Sex (Percentages)

F	46.6
M	53.4

Hospitalizations by Race (percentages)

Black	37.6
Other	9.4
White	53

Hospitalizations by Ethnicity (percentages)

Hispanic	12
Not Hispanic	88

Hospitalizations by Zip Code of Residence (percentages)

77340	58.5
77320	23.5
77358	8.5
77342	6.4
Other	3

Hospitalizations by Provider Name (percentages)

Huntsville Memorial Hospital	59.4
UT Medical Branch Hospital	14.5
Conroe Regional Medical Center	9.4
Other	7.7
University of Texas Medical Branch Hospital	5.6
East Texas Medical Center-Trinity	3.4

Average Length of Stay: 3.6 Days

Average Charge: \$18,767

Total Charges: \$4,391,487

Discharge Status (Percentages)

Discharged to home or self-care (routine discharge)	87.6
Other	7.3
Left against medical advice	5.1

Expected Source of First Payment (Percentages)

Diabetes Short-term Complications (2006-2010)

Medicaid	11.5
Medicare	14.1
Other	27.8
Private Health Insurance	26.1
Uninsured	20.5

Values of less than 3% are included in "Other."

This data is based on county of residence - not the county where the individual was hospitalized.

For more information on potentially preventable hospitalizations in Texas, please go to: www.dshs.state.tx.us/ph.

Source: Center for Health Statistics, Texas Department of State Health Services